


CB small storage heaters





- price-performance ratio
- Quick assembly

Top quality with the best basic stove technology



High storage capacity for long heat release – quick installation thanks to modular design





CB small storage heaters

Scope of delivery

The scope of delivery includes all materials required for the professional installation of the small basic stove system.

- Basic stove firebox
- Basic stove draft technology
- Basic stove metal casing
- Thermoconcrete cladding elements
- Glass fiber fabric (1 roll)
- Plaster and adhesive mortar (2 bags)

Installation timeMaximum one day incl. plastering

Item no.	Description / Dimensions	EURO*
	CB KS1 S small storage heater - door hinge on left Height 173.7 cm x Width 52.0 cm x Depth 52.0 cm Weight approx. 550 kg Disc size 31 x 55 cm NW power 69.000 kJ Heating output 2,4 kW/hrs. after 8 hours discharge Wooden support 3,5 kg max. / log length 25 bis 33 cm Efficiency 93%	Market launch promotion at net price 2.390,-
	CB KS2 EL small storage heater – 2-sided / left corner Height 155,0 cm x Width 83,0 cm x Depth 47,5 cm Weight approx. 660 kg Disc size 50 x 29 x 48 cm NW power 116.000 kJ Heating output 4,0 kW/hrs. after 8 hours of discharge Wooden support 5,5 kg max. / log length 25 to 33 cm Efficiency 83,4%	Market launch promotion at net price 2.790,-
	CB KS2 ER small storage heater – 2-sided / right corner Height 155,0 cm x Width 83,0 cm x Depth 47,5 cm Weight approx. 660 kg Disc size 50 x 29 x 48 cm NW power 116.000 kJ Heating output 4,0 kW/hrs. after 8 hours of discharge Wooden support 5,5 kg max. / log length 25 to 33 cm Efficiency 83,4%	Market launch promotion at net price 2.790,-



Market launch promotion at net price!



CB small storage heaters





CB-tec GmbH

Behaimweg 2 DE-87781 Ungerhausen Tel.: +49 (0)83939469-0 info@cb-tec.de www.cb-tec.de

